




Toyana Bearing Manufacturing of Canada



25 mm x 62 mm x 25.4 mm KOYO 5305 angular contact ball bearings

Bearing No. 5305

5305 Bearing 2D drawings and 3D CAD models

Size	25x62x25.4 mm
Bore Diameter	25 mm
Outer Diameter	62 mm
Width	25.4 mm
d	25 mm
D	62 mm
B	25.4 mm
C	25.4 mm
a	31.1 mm
r min.	1.1 mm
da min.	32 mm
da max	33.4 mm
Da max.	55 mm
ra max.	1 mm
Weight	0.340 Kg
Basic dynamic load rating (C)	32.7 kN
Basic static load rating (C0)	20.8 kN
(Grease) Lubrication Speed	6900 r/min
Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.38
EAN	0605790368387



Toyana Bearing Manufacturing of Canada

Product Group	B00152
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	24 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	25MM Bore; 62MM Outside Diameter; 25.4MM Width; Open; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 24 Degree; 1 (Single)
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.koyousa.com
Outside Diameter	2.441 Inch 62 Millimeter
Bore	0.984 Inch 25 Millimeter
Width	1 Inch 25.4 Millimeter
Bearing No.	5305
r(min)	1.1



Toyana Bearing Manufacturing of Canada

Cr	40.9
C0r	20.8
Cu	1.05
Grease lub.	6900
Oil lub.	9200
da(min)	32
da(max)	-
Da(max)	55
ra(max)	1
(Refer.)Mass(kg)	0.340